

Cross Stitch Project Bag Supply List

Pattern: No pattern is required for either bag; instead, you will receive an instruction sheet for each bag in class!

Quilted Project Bag:

Fabric and Notions:

- Bag front: Mini Charm Pack or 42 2-1/2" squares of quilting cotton (note: a charm pack can be cut into 2-1/2" squares and would yield enough squares for four bags)
- Bag back: one fat quarter or one 15" x 16-1/2" rectangle
- Lining fabric: ½ yard or two 15" x 16-1/2" rectangles
- Lightweight fusible interfacing: ½ yd., or one 15" x 18" rectangle
- Low-loft cotton batting: two rectangles 15" x 16-1/2"
- Handbag zipper at least 18" long or #5 zippers by the yard

Basic Sewing Kit:

- Machine piecing thread in a neutral shade to match your fabrics.
- Fabric shears (a pair with thin blades is helpful)
- Thread snips or scissors
- Straight pins

Sewing Machine, etc.:

- Sewing machine in working order
- 90/14 Microtex or Topstitch sewing machine needle
- ¼" patchwork foot
- Walking foot with guide bar
- Zipper foot
- Zig zag or overcast foot

Rotary Cutting Supplies:

- Rotary cutter with a fresh blade
- Acrylic ruler (4" x 14" is a good size)
- Rotary cutting mat (12" x 18" is sufficient)

Pressing Supplies:

- Pressing cloth
- Wooly Pressing Bar (optional)

Additional Supplies:

- Tailor's awl
- Clover Wonder Clips
- Chaco liner or hera marker
- 1/2" bias tape maker
- Utility scissors or designated rotary cutter (for cutting zipper)
- Fray Check

Vinyl Front Project Bag**Fabric and Notions:**

- Bag front (visible through vinyl): fat quarter or one 14" x 16" rectangle
- Bag back: one fat quarter or one 14" x 16" rectangle
- Contrasting bands, binding and zipper pull: ¼ yard
- Shape Flex 101 fusible interfacing: 3-1/2" x 15"
- Vinyl: 10" x 15"
- By Annie Soft & Stable: 14" x 16" rectangle
- Nylon zipper 16" or longer (either dressmaker or handbag is fine)

Basic Sewing Kit:

- Machine piecing thread in a neutral shade to match your fabrics.
- Fabric shears (a pair with thin blades is helpful)
- Thread snips or scissors
- Straight pins

Sewing Machine, etc.:

- Sewing machine in working order
- 90/14 Microtex or Topstitch sewing machine needle
- ¼" patchwork foot
- Walking foot with guide bar
- Zipper foot
- Teflon foot (if you have)

Rotary Cutting Supplies:

- Rotary cutter with a fresh blade
- Acrylic ruler (4" x 14" is a good size)
- Rotary cutting mat (12" x 18" is sufficient)

Additional Supplies:

- Tailor's awl
- Clover Wonder Clips
- Chaco liner or hera marker
- Utility scissors or designated rotary cutter (for cutting zipper)
- 1/8" by Annie Double Sided Basting Tape
- Roxanne Glue Baste It
- 1/2" bias tape maker
- Fray Check

Feel free to stitch just one style or both – whichever you prefer!

Any questions?? Feel free to contact me!

Andrea Hoke
andrea_hoke@icloud.com
717-575-5098 (cell)